In the Sp cification

ħ

Please amend the paragraph bridging pages 4 and 5 to the end of page 5 as follows:

a) Examples for mono or multifunctional triazines are:

tri-, di-, oreder mono- chlorotriazine

wherein R_f and R_e are C_1 - C_{18} alkyl, phenyl, C_1 - C_{18} alkoxy, C_1 - C_{18} alkylthio, phenoxy, NH(C_1 - C_{18} alkyl), N(di- C_1 - C_{18} alkyl) or phenylthio. It is also possible to use the corresponding fluoro-trioazines instead of chloro-triazines.

b) Alkylating agents are in principal known. Examples for mono- and multifunctional alkylating agents are :

wherein X is a leaving group such as for example halogen, an aliphatic or aromatic sulfonate such as toluene sulfonate or methane sulfonate;

Y₁ is O, NH or N(C₁-C₁₈)alkyl; and

k and n_a are numbers from 1 to 10, n_b is a number from 1 to 20; and

 R_0 may be <u>hydrogen or</u> any aromatic or aliphathic substituent, such as for example <u>hydrogen</u>[[,]] unsubstituted or substituted C_1 - C_{18} alkyl or phenyl.

Also suitable is allylchloride as alkylating agent, leading to an allyl group as Q1.

c) Examples for mono, di- and polycarboxylic acids, [[bzw.]]acid chlorides, anhydrides or esters are: